	Application No.	Applicant(s)
Notice of Allowability	09/762,519	TOMIOKA ET AL.
	Examiner	Art Unit
	Jeffrey T. Barton	1753
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOR OF THE OFFICE	OR REMAINS) CLOSED in or other appropriate commes GHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. \square This communication is responsive to <u>the Amendment filed of</u>	on 17 May 2005.	
2. The allowed claim(s) is/are 10,15 and 18.		•
3. \boxtimes The drawings filed on <u>07 February 2001</u> are accepted by th	e Examiner.	
 4. Acknowledgment is made of a claim for foreign priority undappear a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 	been received.	
2. Certified copies of the priority documents have	• •	
3. Copies of the certified copies of the priority doc	uments have been receive	d in this national stage application from the
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") must	t be submitted.	
(a) including changes required by the Notice of Draftsperse	on's Patent Drawing Revie	w (PTO-948) attached
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment o	r in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the		
7. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Ir	nformal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413), /Mail Date <u>20050722</u> .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 20050422		: Amendment/Comment
4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's	Statement of Reasons for Allowance
of Biological Material	9. 🗌 Other	·
	•	

Art Unit: 1753

. EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Aaron Ettelman on 21 July 2005.

The application has been amended as follows:

In the specification:

Before the first paragraph, please insert the following paragraph:

--This application is a national stage entry of International Patent Application No. PCT/JP00/03789, filed on June 12, 2000, and which claims priority to Japanese Patent Applications 11-163518, filed June 10, 1999; 11-193255, filed July 7, 1999; 11-204148, filed July 19, 1999; 11-261097, filed September 14, 1999; and 2000-150960, filed May 23, 2000.--

In the claims:

- a. In claim 15 at line 7, please delete the word "contact" and insert the phrase --is at least partially immersed in-- after the words "therebetween, each".
- b. In claim 15 at line 7, please delete the word "comprise" and insert the word --comprises-- after the words "and each".

Application/Control Number: 09/762,519

Art Unit: 1753

Page 3

- c. In claim 15 at line 10, please delete the word "the" and insert the word "-a-- after the word "generate".
- d. In claim 15 at line 17, please delete the words "at least one" after the words "of the".
- e. In claim 15 at line 21, please delete the word "one" and insert the word --another-- after the words "structure, and".
- f. In claim 15 at line 23, please delete the word "one" after the words "electrodes, the".
- g. In claim 15 at line 24, please delete the word "lower" and insert the word --lowest-- after the words "have the".
- h. In claim 15 at line 24, please delete the phrase "at least two" after the words "of the".
- i. In claim 15 at line 25, please delete the phrase "not having the higher oxidation/reduction potential" after the word "electrodes".
- j. In claim 18 at line 6, please delete the word "contact" and insert the phrase --are at least partially immersed in-- after the word "electrodes".
- k. In claim 18 at line 6, please delete the word "have" and insert the word "-has-- after the word "each".
- In claim 18 at line 8, please delete the word "the" and insert the word --a--after the word "generating".
- m. In claim 18 at line 15, please delete the phrase "at least one" after the phrase "direction of the".

Art Unit: 1753

2. The following is an examiner's statement of reasons for allowance:

The primary reason for allowance is the inclusion of the limitation that the two electrodes are "at least partially immersed in the liquid". Muroki does not teach and cannot be modified to meet this limitation, as the operability of his transdermal system would be destroyed if both electrodes (2 and 4) were immersed in the liquid that is a part of gel 3. Muroki's device must rely on skin to complete a circuit by providing electrical contact between electrode 4 and gel 3. The other prior art of record neither teaches nor fairly suggests a device meeting the claim limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Jeffrey T. Barton whose telephone number is (571) 272-1307. The examiner can normally be reached on M-F 8:30AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/762,519

Art Unit: 1753

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JTB

22 July 2005

NAM NGUYEN

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700